


DOW INDUSTRIAL COPING

IG-2 VERSION



PRODUCT ID #	C	B1	B2	A	STRAP
<input type="checkbox"/> IG2-C6	6"	5"	3 9/16"	4 1/2"	1 1/4" X .100 Mill
<input type="checkbox"/> IG2-C7	7"	6"	4 9/16"	6"	1 1/4" X .100 Mill
<input type="checkbox"/> IG2-C8	8"	7"	5 9/16"	7"	2" X .100 Mill
<input type="checkbox"/> IG2-C9	9"	8"	6 9/16"	8"	2" X .100 Mill

NOTES: A) Maximum downspout dimension not to exceed "B2" minus 3/4".
 B) 2" lap joint provided.
 C) 24 ga. steel, .040" miters are riveted.
 D) .050" & .063" miters are welded.

MATERIAL: _____ 24 Ga. (.65 mm) Galv.
 _____ .040" (1.01 mm) Alum.
 _____ .050" (1.27 mm) Alum.
 _____ .063" (1.60 mm) Alum.
Color: _____
Finish: _____ OTHER _____

Fabrication will proceed only after receipt of signed print approval.

Print Approval:

Architect and/or contractor shall verify all dimensions, sizes, and quantities. All products to be installed in strict accordance with Dow Roofing Systems' printed instructions.

Approved by: _____
 Date: _____

QUANTITIES:
 _____ Lineal Feet (12'-0" (3.65 m) Lengths)
 _____ Outside Miters (_____ °)
 _____ Inside Miters (_____ °)
 _____ End Caps: Right _____ Left _____
 _____ Expansion Joints
 Style "1" _____ Style "2" _____
 (For Support Brackets See Print Approval # 12012-4051)

PROJECT: _____
ARCHITECT: _____
ROOFING CONTRACTOR: _____
REPRESENTATIVE/DISTRIBUTOR: _____

Customer Service
800-558-2162
(Metal-Era)



DATE: 03/05/12
 DRN BY: JJC
 CKD BY: SAK

SHT.# _____ OF _____
 DWG# 12012-4043 **F**